



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/873,018

06/01/2001

Mitchell T. Berg

700135.428

3220

500

7590

05/14/2007

SEED INTELLECTUAL PROPERTY LAW GROUP PLLC

701 FIFTH AVE

SUITE 5400

SEATTLE, WA 98104

EXAMINER

PATEL, NIKETA I

ART UNIT

PAPER NUMBER

2181

MAIL DATE

DELIVERY MODE

05/14/2007

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

## Office Action Summary

**Application No.**

09/873,018

**Applicant(s)**

BERG, MITCHELL T.

**Examiner**

Niketa I. Patel

**Art Unit**

2181

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 12 February 2007.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 11-24 and 35-68 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 11-24 and 35-68 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 01 June 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |   |   |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)  | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                  | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## DETAILED ACTION

### *Specification*

1. The amendment to the Specification submitted on 02/12/2007 overcomes the objections made in the previous Office Action and therefore the objections are withdrawn.

### *Claim Rejections - 35 USC § 102*

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) The invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3. Claims 11, 13-14, 16-22 and 35, 37-38, 40-46, 49-58, 60, 62-68 are rejected under 35 U.S.C. 102(b) as being anticipated by Aversa et al., “Load Balancing a Cluster of Web Servers, using Distributed Packet Rewriting, Computer Science Department, Boston University” [Cited in Applicant’s IDS], (hereinafter ‘*Aversa*’) and further in view of “TCP/IP Illustrated: the protocol, Volume 1” by W. Richard Stevens, Copyright 1994 Addison Wesley Longman, Inc., (hereinafter ‘*Stevens*’.)

Per, MPEP 2131.01 (B) (C), *Stevens* is cited to explain the meaning of terms ‘application layer’ and ‘serving packet/request locally’ used in the primary reference *Aversa* and to show that the characteristic of ‘selectively execute a software application associated with the information packet’ not disclosed in the *Aversa* reference is inherent.

4. Referring to claims 11, 35, 55, *Aversa* teaches an information processing system, a method [figure 2, distributed system and page 3, paragraph 1] and a server farm [see page 3,

Art Unit: 2181

paragraph 2 – cluster of servers], comprising: a first computing device [see figure 2, element server 4] configured to: receive an information packet through a global computer network [see page 3, paragraph 2, ‘the very first packet received form the client’ and figure 2, element ‘Internet’] and a first local area network [see page 3, paragraph 2 and figure 2, element ‘local network’]; and in response to at least the information packet [see page 3, paragraph 2 first packet received from the client] and a state of the information processing system [see page 3, paragraph 2, ‘the cluster state information- e.g., relative load on the different servers in the cluster’], when the state of the information processing system is a first state [see page 3, paragraph 2 – using the information in the packet and the state information, a DPR-enabled server either forwards a connection to a different server, or lets it percolate up its network stack to the application layer depending up the load of the server that receives the packet and page 5, full paragraph 3], selectively output the information packet, such that the output information packet bypasses the first local area network [see page 3, paragraph 2 – ‘forwarding to different server’ and figure 2 shows that during forwarding, use of the local network is avoided and page 2, paragraph 3- ‘a TCP router acts as a front-end that forwards requests for Web services to the individual back-end servers of the cluster’]; and when the state of the information processing system is a second state [see page 3, paragraph 2 – when the load of the server that receives the packet is not heavy the server will serve the packet locally and page 5, full paragraph 3], selectively execute a software application associated with the information packet [see page 3, paragraphs 2, 3, ‘percolate up its network stack to the application layer,’ and serving the packet/request locally.]

Although, *Aversa* teaches to serve the information packet/request, received from a client, locally, by sending it to application layer, upon the determination that the load on the local server

(a TCP server) is under certain threshold [see page 3, paragraph 2 and page 5, full paragraph 3], *Aversa* is silent on what steps are taken to serve the information packet/request locally. However, this feature is deemed to be inherent to the *Aversa* system as shown by *Stevens*. *Stevens* teaches that in order to serve the information packet/request locally, the step of, selectively execute a software application associated with the information packet must be performed [see page 254, section 18.11 TCP Server Design and page 12, section 1.8 Client-Server Model.] *Stevens* teaches that when a server accepts a connection request, it invokes a new process to handle the new client, depending on the operating system, various techniques are used for this, under Unix the common technique is to create a new process using the *fork* function, at page 254. *Stevens*'s section 1.8, teaches that as a general rule the TCP servers are concurrent server and that this type of server will create a new process, task or thread (i.e., a software application associated with the information packet) depending on what the underlying operating system supports to process the client request.

5. **Referring to claims 13, 37**, *Aversa* teaches wherein the received information packet originates from a client [see figure 2, elements 'client A' and 'client B'], and wherein the first local area network [see figure 2, element 'local network'] is coupled to the global computer network to the client [see figure 2, element 'Internet'.]

6. **Referring to claims 14, 38**, *Aversa* teaches wherein the information packet originates from a client [see page 3, paragraph 2 – first packet received from the client], and wherein the first computing device is configured to: in response to at least the information packet [see page 3, paragraph 2 – information included in the SYN packet] and the state of the information processing system [see page 3, paragraph 2 – cluster state information], selectively output the

Art Unit: 2181

information packet by outputting an encapsulated information packet [see page 5, full paragraph 1 – IP-IP encapsulation], the encapsulated information packet including the information packet and a reference to a data structure of a connection with the client [see page 5, full paragraph 1 – source IP of client B within the encapsulated packet.]

7. **Referring to claims 16, 40, *Aversa*** teaches wherein the first computing device is configured to: in response to at least the information packet and the state of the information processing system, selectively output the information packet to a second computing device for performing an operation in response to the information packet [see page 4, full paragraph 1 – rerouting request to another machine for processing.]

8. **Referring to claims 17, 41, *Aversa*** teaches wherein the information packet originates from a client [see page 3, paragraph 2], wherein the first local area network is coupled to the global computer network to the client [see page 3, paragraph 2 and figure 2], wherein the operation includes outputting a response packet to the client through the first local area network and the global computer network [see page 4, full paragraph 1 – respond directly to the client], and wherein the computing device is configured to: in response to at least the information packet and the state of the information processing system, selectively output the information packet to the second computing device for outputting the response packet to the client, such that the output response packet bypasses the first computing device [see page 4, full paragraph 1 – respond directly to the client and page 4, paragraph 3 and page 5, lines 1-6 – responding to client B.]

9. **Referring to claims 18, 42, *Aversa*** teaches wherein the operation is part of a software application executed by the second computing device [refer to the explanation provided in claim

Art Unit: 2181

11 above and see page 3, paragraphs 2, 3, 'percolate up its network stack to the application layer,' and serving the packet/request locally.]

10. **Referring to claims 19, 43, *Aversa*** teaches wherein the software application executed by the second computing device is a socket application [see page 5, paragraph 5 – active sockets and page 6, paragraph 2, active sockets.]

11. **Referring to claims 20, 44, *Aversa*** teaches wherein the information packet is addressed by the client to the first computing device, and wherein the first computing device is configured to receive the information packet from the first local area network in response to the addressing [see page 3, paragraph 2 – IP address.]

12. **Referring to claims 21, 45, *Aversa*** teaches wherein the first computing device is configured to receive at least a portion of the state of the information processing system from the second computing device and a second local area network [see page 6, paragraph 3 – more the one network, load packet.]

13. **Referring to claims 22, 46, *Aversa*** teaches wherein the first local area network includes a hub [see figure 2, element 'server 4'.]

14. **Referring to claims 49, 52,** wherein the first computing device is configured to output the information packet to a second local area network to a second computing device [see page 6, paragraph 3 – more the one network, load packet and page 4, full paragraph 1 – rerouting request to another machine for processing.]

15. **Referring to claims 50, 53, *Aversa*** teaches wherein the first computing device is configured to receive at least a portion of the state of the information processing system from the

Art Unit: 2181

second computing device and a third local area network [see page 6, paragraph 3 – more the one network, load packet.]

16. **Referring to claims 51, 54,** *Aversa* teaches wherein the state of the information processing system is based at least in part on a state of a second computing device [see page 3, paragraph 2, relative load on the different servers in the cluster.]

17. **Referring to claim 56,** *Aversa* teaches wherein the state of the server farm is based at least in part on a state of the first computing device [see page 3, paragraph 2 – cluster state information.]

18. **Referring to claim 57,** *Aversa* teaches wherein the state of the server farm is based at least in part on a state of the first computing device [see page 3, paragraph 2 – relative load on the different serves in the cluster.]

19. **Referring to 58,** *Aversa* teaches wherein the software application is a socket application [see page 5, paragraph 5 – active sockets and page 6, paragraph 2, active sockets.]

20. **Referring to claim 60,** *Aversa* teaches wherein the first computing device is configured to selectively output the information packet by outputting an encapsulated information packet [see page 5, full paragraph 1 – IP-IP encapsulation], the encapsulated information packet including the information packet and a reference to a connection data structure associated with a client [see page 5, full paragraph 1 – source IP of client B within the encapsulated packet.]

21. **Referring to claim 62,** *Aversa* teaches a computer-readable memory medium storing instructions that, when executed, causes a first computing device [see figure 2, element server 4] of an information processing system to respond to an information packet received through a first local area network [see page 3, paragraph 2 and figure 2, element ‘local network’] and a global



Art Unit: 2181

computer network [see page 3, paragraph 2, 'the very first packet received form the client' and figure 2, element 'Internet'] by: when the information processing system is in first state [see page 3, paragraph 2 – when the load of the server that receives the packet is not heavy the server will serve the packet locally and page 5, full paragraph 3], selectively executing a software application associated with the information packet [see page 3, paragraphs 2, 3, 'percolate up its network stack to the application layer,' and serving the packet/request locally]; and when the information processing system is in a second state [see page 3, paragraph 2 – using the information in the packet and the state information, a DPR-enabled server either forwards a connection to a different server, or lets it percolate up its network stack to the application layer depending up the load of the server that receives the packet and page 5, full paragraph 3], selectively forwarding the information packet such that the forwarded information packet bypasses the first local area network [see page 3, paragraph 2 – 'forwarding to different server' and figure 2 shows that during forwarding, use of the local network is avoided and page 2, paragraph 3- 'a TCP router acts as a front-end that forwards requests for Web services to the individual back-end servers of the cluster'.]

Although, *Aversa* teaches to serve the information packet/request, received from a client, locally, by sending it to application layer, upon the determination that the load on the local server (a TCP server) is under certain threshold [see page3, paragraph 2 and page 5, full paragraph 3], *Aversa* is silent on what steps are taken to serve the information packet/request locally. However, this feature is deemed to be inherent to the *Aversa* system as shown by *Stevens*. *Stevens* teaches that in order to serve the information packet/request locally, the step of, selectively execute a software application associated with the information packet must be performed [see page 254,

section 18.11 TCP Server Design and page 12, section 1.8 Client-Server Model.] *Stevens* teaches that when a server accepts a connection request, it invokes a new process to handle the new client, depending on the operating system, various techniques are used for this, under Unix the common technique is to create a new process using the *fork* function, at page 254. *Stevens*'s section 1.8, teaches that as a general rule the TCP servers are concurrent server and that this type of server will create a new process, task or thread (i.e., a software application associated with the information packet) depending on what the underlying operating system supports to process the client request.

22. **Referring to claim 63**, *Aversa* teaches wherein the information packet originates from a client [see figure 2, elements 'client A' and 'client B'] coupled to the global computer network [see figure 2, element 'Internet'.]

23. **Referring to claim 64**, *Aversa* teaches wherein the instruction further causes the first computing device to selectively forward the information packet by encapsulating information packet [see page 5, full paragraph 1 – IP-IP encapsulation], by encapsulating the information packet that includes a reference to a connection data structure associated with the client [see page 5, full paragraph 1 – source IP of client B within the encapsulated packet.]

24. **Referring to claim 65**, *Aversa* teaches wherein the software application is a socket application [see page 5, paragraph 5 – active sockets and page 6, paragraph 2, active sockets.]

25. **Referring to claim 66**, *Aversa* teaches wherein the instructions further causes the first computing device to selectively forward the information packet by forwarding the information packet to a second computing device [see page 3, paragraph 2 – 'forwarding to different server' and figure 2 shows that during forwarding, use of the local network is avoided and page 2,

Art Unit: 2181

paragraph 3- 'a TCP router acts as a front-end that forwards requests for Web services to the individual back-end servers of the cluster'.]

26. **Referring to claim 67**, *Aversa* teaches wherein the state of the information processing system is based at least in part on a state of the second computing device [see page 3, paragraph 2 – relative load on the different serves in the cluster.]

27. **Referring to claim 68**, *Aversa* teaches wherein the instructions further causes the first computing device to receive state information from a second local area network [see page 3, paragraph 2 – relative load on the different serves in the cluster and page 5, paragraphs 2-3 – load information.]

### ***Claim Rejections - 35 USC § 103***

28. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

29. Claims 12, 23-24, 36, 47-48, 59, 61 are rejected under 35 U.S.C. 103(a) as being unpatentable over *Aversa* and further in view of Yuasa et al. U.S. Patent Number 6,085,238 (hereinafter '*Yuasa*').

30. Referring to **claims 12, 36, 59**, *Aversa* teaches a computing device [see figure 2, element server 4] however does not set forth the limitation of wherein the first computing device comprises a network interface card. *Yuasa* discloses a server having a network interface card in

Art Unit: 2181

order for allowing the server to communicate with a client over a network [see *Yuasa* column 24, lines 37-45 – server with NIC.]

One of ordinary skill in the art at the time of applicant's invention would have clearly recognized that it is quite advantageous for the server of *Aversa* to be implemented with a network interface card in order for the server to be able to communicate with various client devices connected to the server. It is for this reason that one of ordinary skill in the art would have been motivated to implement *Aversa* server with a network interface card to provide server with communication means to communicate with various network devices connected therewith.

31. Referring to **claims 23, 47**, *Aversa* teaches a TCP router [see page 1, paragraph 3] however, does not set forth the limitation of wherein the first local area network includes a Layer 2 switch, and wherein the Layer 2 switch is coupled to a router device to the global computer network. *Yuasa* discloses the first local area network includes a Layer 2 switch, and wherein the Layer 2 switch is coupled to a router device to the global computer network, in order to improve the line processing capability of each floor line concentrator in addition to speeding up transmission on wiring to enhance traffic throughput and hold the transmission delay time short [see *Yuasa* column 5, lines 14-17.]

One of ordinary skill in the art at the time of applicant's invention would have clearly recognized that it is quite advantageous for the system of *Aversa* to implement Layer 2 switch in order to improve the line processing capability of each floor line concentrator in addition to speeding up transmission on wiring to enhance traffic throughput and hold the transmission delay time short. It is for this reason that one of ordinary skill in the art would have been

Art Unit: 2181

motivated to implement *Aversa's* system with Layer 2 switch to enhance traffic throughout and hold the transmission delay time short.

32. Referring to **claims 24, 48, 61**, *Aversa* teaches a TCP router [see page 1, paragraph 3] however, does not set forth the limitation of wherein the first local area network includes a Layer 3 switch, and wherein the Layer 3 switch is coupled to the global computer network *Yuasa* discloses the first local area network includes a Layer 3 switch, and wherein the Layer 3 switch is coupled to a router device to the global computer network, in order to improve the line processing capability of each floor line concentrator in addition to speeding up transmission on wiring to enhance traffic throughput and hold the transmission delay time short [see *Yuasa* column 6, lines 28-35.]

One of ordinary skill in the art at the time of applicant's invention would have clearly recognized that it is quite advantageous for the system of *Aversa* to implement Layer 3 switch in order to improve the line processing capability of each floor line concentrator in addition to speeding up transmission on wiring to enhance traffic throughput and hold the transmission delay time short. It is for this reason that one of ordinary skill in the art would have been motivated to implement *Aversa's* system with Layer 3 switch to enhance traffic throughout and hold the transmission delay time short.

33. Claims 15, 39 are rejected under 35 U.S.C. 103(a) as being unpatentable over *Aversa* and further in view of RFC 2003 by C. Perkins, IBM, Oct 1996 [sited in applicant's IDS] (hereinafter '*Perkins*').)

Art Unit: 2181

34. Referring to **claims 15, 39**, *Aversa* teaches a use of encapsulation packet [see page 5, full paragraph 1 – IP-IP encapsulation] however does not set forth the limitation of wherein the reference is included within a single header of the encapsulated information packet. *Perkins* teaches a use of encapsulated packet header to place reference [see page 3, paragraph 2 – the outer IP header source address and destination address] in order to identify the endpoints of the tunnel.

One of ordinary skill in the art at the time of applicant's invention would have clearly recognized that it is quite advantageous for the system of *Aversa* to be able to identify the endpoints of a tunnel by placing reference in the encapsulated packet header. It is for this reason that one of ordinary skill in the art would have been motivated to implement *Aversa*'s encapsulated information packet with a reference within a single header to identify the endpoints of the tunnel.

### ***Response to Arguments***

35. Applicant's arguments filed 02/12/2007 have been fully considered but they are not persuasive. The applicant argues that (1) *Aversa* does not teach the limitation of "...such, that the output information packet bypasses the first local area network" and that *Aversa* makes it clear that there is only a single LAN and does not teach the use of multiple LANs (at pages 11-12 of the remarks) (2) *Aversa* does not disclose the limitation of "a reference to a data structure of a connection with the client" (at page 13 of the remarks) (3) there is no motivation to combine the *Aversa* with *Yuasa* (at page 13 of the remarks.)

The examiner respectfully disagrees with these arguments.

**As per the first argument,** *Aversa* teaches the limitation of "...such, that the output information packet bypasses the first local area network" [see page 3, paragraph 2 – 'forwarding to different server' and figure 2 shows that during forwarding, use of the local network is avoided and page 2, paragraph 3- 'a TCP router acts as a front-end that forwards requests for Web services to the individual back-end servers of the cluster'.] As for the argument that "*Aversa* makes it clear that there is only a single LAN and does not teach the use of multiple LANs" is concerned, claim 11 only recites 'a first local network' and does not require more than one LAN.

**As per the second argument,** *Aversa* discloses the limitation of "a reference to a data structure of a connection with the client" [see page 5, full paragraph 1 – source IP of client B within the encapsulated packet. This indicated that the data structure of the connection is of 'Internet Protocol' type. The Internet Protocol (IP) is a data-oriented protocol used for communicating data across a packet-switched network.]

**As per the third argument,** In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, *Yuasa* discloses a server having a network interface card in order for allowing the server to communicate with a client over a network [see *Yuasa* column 24, lines 37-45 – server with NIC.]

***Conclusion***

36. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Niketa I. Patel whose telephone number is (571) 272 4156. The examiner can normally be reached on M-F 8:00 A.M. to 5:00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Donald Sparks can be reached on (571) 272 4201. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only.



Art Unit: 2181

For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Niketa Patel  
05/05/2007

A handwritten signature in black ink, appearing to read "Donald Sparks", written over a printed name.

**DONALD SPARKS**  
**SUPERVISORY PATENT EXAMINER**